

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 1/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 985628  
Product name NANOCOLOR COD 15000, robot

REACH Registration number(s): see SECTION 3.1/3.2 or  
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 4 mL COD 15 000 (R0)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG  
Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY  
Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

4 mL COD 15 000 (R0)



GHS05

GHS07

GHS08

Signal word

DANGER

#### Hazard identification

#### Hazard classes/categories

H302 Acute Tox. 4 oral  
H312 Acute Tox. 4 derm.  
H314 Skin Corr. 1A  
H317 Skin Sens. 1  
H332 Acute Tox. 4 inh.  
H340 Muta. 1B  
H350 Carc. 1A  
H373 STOT RE 2  
H412 Aquatic Chronic 3

### 2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

[www.mn-net.com](http://www.mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 2/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## 4 mL COD 15 000 (R0)



GHS05



GHS07



GHS08

Signal word: DANGER

H314, H317, H340, H350, H412

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Harmful to aquatic life with long lasting effects.

P201, P260sh, P280sh, P303+361+353, P305+351+338, P310, P405

Obtain special instructions before use. Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. ---

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause genetic defects. May cause cancer. May cause cancer if inhaled. Can accumulate within the body.

The risk assessment of the tube tests showed no risk H331 "Toxic if inhaled." at the application. -

### Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

### Other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 4 mL COD 15 000 (R0)

Chemical: silver sulfate

CAS No.: 10294-26-5

Classification: H318, Eye Dam. 1, H400, Aquatic Acute 1, H410, Aquatic Chronic 1

Formula: Ag<sub>2</sub> SO<sub>4</sub>

Pseudonym: disilver(1+) sulfate

TSCA Inventory: listed

REACH Reg. No.: 01-2119918297-31-xxxx

EC No.: 233-653-7

RTECS: not listed

KE No.: KE-12273, >25% Toxic 97-1-92

Concentration: 0.1 - <1 %

Correlation factor: x 0.69 (= %Ag)

The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): The criteria for classification are not fulfilled.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628  
Printing date: 06.01.2021  
NANOCOLOR COD 15000, robot  
Date of issue: 14.12.2020  
Page: 3/10

Chemical: *sulfuric acid*  
Classification: H314, Skin Corr. 1B  
Formula:  $H_2SO_4 \cdot (H_2O)$   
TSCA Inventory: listed  
REACH Reg. No.: 01-2119458838-20-xxxx  
EC No.: 231-639-5  
RTECS: WS5600000  
KE No.: 51 - <65 %  
Concentration: acc. CLP (GHS): H314, Skin Corr. 1B  
CAS No.: 7664-93-9  
Indice No.: 016-020-00-8

Chemical: *potassium dichromate*  
Classification: H272, Ox. Liq. 2, H301, Acute Tox. 3 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1B, H317, Skin Sens. 1, H330, Acute Tox. 2 inh., H334, Resp. Sens. 1, H340, Muta. 1B, H350, Carc. 1A, H360FD, Repr. 1B, H372, STOT RE 1, H410, Aquatic Chronic 1  
Formula:  $K_2Cr_2O_7$   
TSCA Inventory: listed  
REACH Reg. No.: 01-2119454792-32-0004  
SVHC listed: > exempt for formulation+use acc. Art 56(3)+Q&A1030  
EC No.: 231-906-6  
RTECS: HX7680000  
KE No.: not listed  
Concentration: 0.32 - <0.38 %  
The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)  
acc. CLP (GHS): H312, Acute Tox. 4 derm., H317, Skin Sens. 1, H340, Muta. 1B, H350, Carc. 1A, H373, STOT RE 2, H412, Aquatic Chronic 3  
CAS No.: 7778-50-9  
Indice No.: 024-002-00-6  
MFCD: 00011367  
Correlation factor: x 0.79 (= %CrO<sub>4</sub>)

Chemical: *mercury(II) sulfate*  
Classification: H300, Acute Tox. 2 oral, H310, Acute Tox. 2 derm., H330, Acute Tox. 2 inh., H373, STOT RE 2, H400, Aquatic Acute 1, H410, Aquatic Chronic 1  
Formula:  $HgSO_4$   
Pseudonym: mercuric sulfate  
TSCA Inventory: listed  
REACH Reg. No.: not necessary, amount <1 t/a  
EC No.: 231-992-5  
RTECS: OX0500000  
KE No.: KE-23132, Toxic 97-1-140  
Concentration: 0.37 - <0.74 %  
The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)  
acc. CLP (GHS): H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H332, Acute Tox. 4 inh., H373, STOT RE 2, H412, Aquatic Chronic 3  
CAS No.: 7783-35-9  
Indice No.: 080-004-00-7  
Correlation factor: x 0.68 (= %Hg)

## 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Causing allergies. Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 4/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

- 4.1.4 After ORAL Intake**  
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---
- 4.2 Most important symptoms and effects, both acute and delayed**  
Potassium dichromate: May cause sensitization by skin contact, also in repeated contact of small amounts. CMR Effects: May cause genetic defects. May cause cancer. May cause cancer if inhaled. Can accumulate within the body. ---
- 4.3 Indication of any immediate medical attention and special treatment needed**  
CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media**  
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.2 Special hazards arising from the substance or mixture**  
Formation of hazardous and caustic vapour-air mixtures possible. ---
- 5.3 Advice for firefighters**  
No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.  
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.
- 5.4 Additional information**  
Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**  
Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
- 6.2 Environmental precautions**  
not necessary, contains only small amounts of these substances
- 6.3 Methods and material for containment and cleaning up**  
Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections**  
see information in section 5.4 ---

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**  
Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.
- 7.2 Conditions for safe storage, including any incompatibilities**  
The original product package of MACHEREY-NAGEL allows a safe storage. Products containing also toxic substances should be kept locked up.  
Storage class (VCI): 8B  
Water hazard class (DE): 3
- 7.2.1 Requirements for stock rooms and containers**  
Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties. Use inbreakable container for transport of glass bottles.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 5/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 4 mL COD 15 000 (R0)

Chemical: *silver sulfate*

CAS No.: 10294-26-5

DNEL: no data

DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 0.04 µg/L

PNEC = Predicted No Effect Concentration

EU value: [Ag] 0.01 e mg/m³

TRGS 900 (DE): [Ag] 0,01 E mg/m³  
E/e respirable

Short-term exposure factor: 2 (I)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

NIOSH: [TWA] 0.01 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 0.01 mg/m³

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 2.5 µg/L

PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m³

TRGS 900 (DE): 0.1 E mg/m³  
E/e respirable

Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m³

Chemical: *potassium dichromate*

CAS No.: 7778-50-9

DNEL: [inh] 0.01 mg/m³

DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): [CrVI] (0,05 E<sub>ausgesetzt</sub>) mg/m³  
E/e respirable

Short-term exposure factor: (4), H

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,05 e mg/m³

SUVA(CH) BAT value: [U/b] 20 µg/L

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Chromium VI - Known to be a human carcinogen); TWA

8h 0.0002CrO<sub>3</sub> mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [CrO<sub>3</sub>][TWA] 0.005 mg/m³

Chemical: *mercury(II) sulfate*

CAS No.: 7783-35-9

EU value: [Hg] 0.02 e mg/m³

TRGS 900 (DE): [Hg] 0,02 E mg/m³  
E/e respirable

Short-term exposure factor: 8 (II), H, Sh

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Hg][MAK] 0,02 e/[STEL] 0,16 e mg/m³

SUVA(CH) BAT value: [Krea U/d] 35 µg/L

TRGS 903 (DE): [U/aKreatinin] 25 µg/g

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [Hg Vapor: TWA<sub>skin</sub>] 0.05; other 0.1 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 0.1 mg/m³

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 6/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 4 mL COD 15 000 (R0)

Appearance: liquid

Colour: brown

Odor: odorless

pH:

0

Specific gravity:

1,53 g/cm³

Solubility in water:

0-100 %

Oxidising properties:

tissue-destroying, especially in heated form

### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

**Relevant Properties of Substance Group**

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Strong CORROSIVE, no further data available.

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

Not necessary. Observe labeled storage temperature. ---

### 10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 4 mL COD 15 000 (R0)

Chemical:

silver sulfate

CAS No.: 10294-26-5

TSCA Inventory:

listed

Exposure Routes:

inhalation, ingestion, skin and/or eye contact

Target Organs:

Nasal septum, skin, eyes

Symptoms:

Blue-gray eyes, nasal septum, throat, skin; irritation, ulceration skin; gastrointestinal disturbance

www.mn-net.com



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 7/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

Japan CSCL/PRTR: PRTR:  $\geq 1,0\%$  Ag class I, Japan PDSCL: Deleterious substance  
Japan ISHL: listed  $\geq 1,0\%$ / $\geq 0,1\%$   
Korea Exist.Chem.Inventory: KE-12273, >25% Toxic 97-1-92  
LD50<sub>orl rat</sub>: 2000-5110 mg/kg

Chemical: *sulfuric acid* CAS No.: 7664-93-9  
TSCA Inventory: listed California Proposition 65 List: not listed  
ACGIH: 1 ppm  
Exposure Routes: inhalation, ingestion, skin and/or eye contact  
Target Organs: Eyes, skin, respiratory system, teeth  
Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;  
dental erosion; eye, skin burns; dermatitis  
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance  
Japan ISHL: listed  $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)  
South Korea TCCA: Accident Precaution Chemical Yes  
Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.  
LD50<sub>orl rat</sub>: 2140 mg/kg  
LC50<sub>ihl rat</sub>: [8h] 600/ [4h] 850 mg/m<sup>3</sup>

TRGS 905 (DE): Kat 4

Chemical: *potassium dichromate* CAS No.: 7778-50-9  
TSCA Inventory: listed California Proposition 65 List: listed cancer, developmental, female, male  
ACGIH: [CrVI] 0.05 mg/m<sup>3</sup>  
Exposure Routes: inhalation, ingestion, skin and/or eye contact  
Target Organs: Blood, respiratory system, liver, kidneys, eyes, skin; [lung cancer]  
Symptoms: irritation respiratory system; nasal septum perforation; liver, kidney damage; leukocytosis (increased  
blood leukocytes), leukopenia (reduced blood le  
Japan CSCL/PRTR: PRTR:  $\geq 0,1\%$  Cr specific class I, Japan PDSCL: Deleterious substance  
Japan ISHL: listed  $\geq 0,1\%$ / $\geq 0,1\%$ , Article 57-2 (SDS required)  
South Korea TCCA: yes, Restricted Chemical  
Korea Exist.Chem.Inventory: not listed  
LD50<sub>orl rat</sub>: 25 mg/kg  
LC<sub>Low orl gpg</sub>: 163 mg/kg  
LC50<sub>ihl rat</sub>: 0.094<sub>4h</sub> mg/L  
LD50<sub>drm rbt</sub>: 14 mg/kg  
Acute Effects: Cause after inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.  
Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause damage to organs through prolonged or repeated exposure.  
Carcinogenic Effects: May cause genetic defects. May cause cancer. May cause cancer if inhaled.  
EU carcinogen: carc. 1B, mutag. 1B, repr. 1B  
TRGS 905 (DE): K2  
TRGS 907 (DE): Sh

Chemical: *mercury(II) sulfate* CAS No.: 7783-35-9  
TSCA Inventory: listed California Proposition 65 List: listed developmental  
Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact  
Target Organs: Eyes, skin, respiratory system, central nervous system, kidneys  
Symptoms: irritation eyes, skin; cough, chest pain, dyspnea (breathing difficulty), bronchitis, pneumonitis; tremor,  
insomnia, irritability, indecision, headac  
Australia NICNAS: not listed Canada CEPA 1999: yes (mercury compound - Item 8.)  
Japan CSCL/PRTR: PRTR:  $\geq 1,0\%$  Hg class I, Japan PDSCL: Poisonous substance  
Japan ISHL: listed  $\geq 0,3\%$ / $\geq 0,1\%$ , Article 57-2 (SDS required)  
South Korea TCCA: not listed  
Korea Exist.Chem.Inventory: KE-23132, Toxic 97-1-140  
LD50<sub>orl rat</sub>: 57 mg/kg  
LD50<sub>drm rat</sub>: 625 mg/kg  
Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.  
Chronic Effects: May cause damage to organs through prolonged or repeated exposure.  
TRGS 907 (DE): Sh

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 8/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 4 mL COD 15 000 (R0)

Chemical: *silver sulfate*

CAS No.: 10294-26-5

PNEC(fresh water) : 0.04 µg/L

PNEC = Predicted No Effect Concentration

LC50<sub>daphnia magna/48h</sub> : 0.22 µg/L

LC50<sub>fish/96h</sub> : [4d] 1.2 µg/L

EC10<sub>pseudomonas putida/16h</sub> : [24h] 0.41-0.54 µg/L

Water hazard class (DE): 3

Storage class (VCI): 12

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

Avoid contact of substance/mixture to environment.

PNEC(fresh water) : 2.5 µg/L

PNEC = Predicted No Effect Concentration

LC50<sub>fish/96h</sub> : [NOEC, 65d] 25 µg/L

EC50<sub>daphnia/48h</sub> : 100 mg/L

EC10<sub>pseudomonas putida/16h</sub> : [72h] 100 mg/L

Water hazard class (DE): 1 WGK No.: 0182

Storage class (VCI): 8 B

Chemical: *potassium dichromate*

CAS No.: 7778-50-9

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

LC50<sub>fish/96h</sub> : 26.13 mg/L

EC50<sub>daphnia/48h</sub> : 0.77 mg/L

Water hazard class (DE): 3 WGK No.: 339

Storage class (VCI): 6.1 B

Chemical: *mercury(II) sulfate*

CAS No.: 7783-35-9

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Bio Toxicity: LC50 : 0.5<sub>HgCl2</sub>/48h mg/L

Water hazard class (DE): 3 WGK No.: 0412

Storage class (VCI): 6.1 B

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

### 13.1 Waste treatment methods



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 9/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## SECTION 14: Transport information

**14.1. UN number:** 3316 **14.2. UN proper shipping name:** Chemical Kit  
**14.3. Class:** 9 **14.4. Packing group:** II  
*Road transport*  
Classification code: M11 Tunnel restriction code: E  
Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation  
*Air transport*  
PAX: 960 max. weight PAX: 10 KG  
CAO: 960 max. weight CAO: 10 KG  
*Maritime transport*  
EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

**14.1 UN number:** 2922  
**14.2 UN proper shipping name:** Corrosive liquid, toxic, n.o.s. (sulfuric acid, mercury(II) sulfate solution)  
**14.3 Class:** 8 **14.4 Packing group:** II  
*Road transport*  
Classification code: CT1 Tunnel restriction code: E  
Limited Quantity: 1 L  
Excepted Quantity: E 2  
*Air transport*  
PAX: 851 max. weight PAX: 1 L  
CAO: 855 max. weight CAO: 30 L  
*Maritime transport*  
EmS: F-A, S-B Storage category: B

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013  
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC  
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011  
MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)  
Look for your country-specific regulations.

### 15.2 Chemical safety assessment

not necessary for these small amounts ---

## SECTION 16: Other information

### 16.1 List of H and P phrases

#### 16.1.1 List of relevant H phrases

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985628

NANOCOLOR COD 15000, robot

Page: 10/10

Printing date: 06.01.2021

Date of issue: 14.12.2020

## 16.1.2 List of relevant P phrases

P201	Obtain special instructions before use.
P260sh	Do not breathe dust/vapours.
P261sh	Avoid breathing dust/vapours.
P264W	Wash with water thoroughly after handling.
P273	Avoid release to the environment.
P280sh	Wear protective gloves/eye protection.
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+352	IF ON SKIN: Wash with plenty of water.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER/doctor.
P330	Rinse mouth.
P405	Store locked up.

## 16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

## 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

## 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work

TRGS 905, German engineering rules governing carcinogens and mutagens, updated 03/18

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU